



Daffodil International University
Faculty of Science & Information Technology
Department of Software Engineering
Final Examination - Summer 2025

Course Code: SE 121; Course Title: Structured Programming
Sections & Teachers: A – M (MAK, ZNM, MR, JIC, SCS, AHZ, KFH, AF)

Time: 2:00 Hrs

Marks: 40

Answer ALL Questions

[The figures in the right margin indicate the full marks and corresponding course outcomes. All portions of each question must be answered sequentially.]

1. a)	<p>Examine any errors in the following codes and modify them with the necessary changes.</p> <table><tr><td><pre>i) #include<stdio.h> int main (){ float height[100]; for(i=0; i<100; i++) scanf("%f", height[i]); //printing first element printf("%f", height[1]); //printing last element printf("%f", height [100]); return 0; }</pre></td><td><pre>ii) #include <stdio.h> int main() { char username[8]; char correctUser[] = "admin"; printf("Enter username: "); scanf("%c", username); if (username == correctUser) printf("Welcome, admin!\n"); return 0; }</pre></td></tr></table>	<pre>i) #include<stdio.h> int main (){ float height[100]; for(i=0; i<100; i++) scanf("%f", height[i]); //printing first element printf("%f", height[1]); //printing last element printf("%f", height [100]); return 0; }</pre>	<pre>ii) #include <stdio.h> int main() { char username[8]; char correctUser[] = "admin"; printf("Enter username: "); scanf("%c", username); if (username == correctUser) printf("Welcome, admin!\n"); return 0; }</pre>	[Marks-6]	CLO-3 Level-3
<pre>i) #include<stdio.h> int main (){ float height[100]; for(i=0; i<100; i++) scanf("%f", height[i]); //printing first element printf("%f", height[1]); //printing last element printf("%f", height [100]); return 0; }</pre>	<pre>ii) #include <stdio.h> int main() { char username[8]; char correctUser[] = "admin"; printf("Enter username: "); scanf("%c", username); if (username == correctUser) printf("Welcome, admin!\n"); return 0; }</pre>				
b)	<p>You are helping organize a running competition. Your task is to find the fastest completion time among all participants and the position of the participant who achieved it.</p> <p>If more than one participant has the same fastest time, display the position of the first one.</p> <p>Construct a C program that takes the number of participants and their completion times as input, and outputs the fastest time along with the position (<i>1-indexed</i>) of the participant.</p> <table><tr><td><p>Sample Input:</p><p>Enter number of participants: 5 Enter time for Participant 1: 20 Enter time for Participant 2: 25 Enter time for Participant 3: 18 Enter time for Participant 4: 22 Enter time for Participant 5: 18</p></td><td><p>Sample Output:</p><p>Fastest Time = 18 Position = 3</p></td></tr></table>	<p>Sample Input:</p> <p>Enter number of participants: 5 Enter time for Participant 1: 20 Enter time for Participant 2: 25 Enter time for Participant 3: 18 Enter time for Participant 4: 22 Enter time for Participant 5: 18</p>	<p>Sample Output:</p> <p>Fastest Time = 18 Position = 3</p>	[Marks-7]	
<p>Sample Input:</p> <p>Enter number of participants: 5 Enter time for Participant 1: 20 Enter time for Participant 2: 25 Enter time for Participant 3: 18 Enter time for Participant 4: 22 Enter time for Participant 5: 18</p>	<p>Sample Output:</p> <p>Fastest Time = 18 Position = 3</p>				
c)	<p>Suppose you are a junior developer in a new social media platform. The platform wants to automatically create usernames for users by combining their first and last names without spaces and making them lowercase. As a developer of the system, you have to write the code.</p>	[Marks-7]			

Now, **construct** a C program that takes a first name and last name from the user and outputs a lowercase username.

Sample Input:

First name: Nazmus
Last name: Sakib

Sample Output:

Your username: nazmussakib

2. a) Identify the output of the following C codes and **explain** the reasoning behind your answer.

[Marks-6]

CLO-4
Level-4

```
i. #include <stdio.h>
int tweak(int a) {
    if (a % 4 == 1 && a % 5 != 0)
        return a * 2;
    else if (a % 2 == 0)
        return a /= 2;
    else return a - 1;
}
int main() {
    int i, result = 0;
    for (i = 2; i <= 7; i++) {
        result += tweak(i);
    }
    printf("%d\n", result);
    return 0;
}
```

```
ii. #include <stdio.h>
int combine(int x, int y) {
    if (x == y)
        return x * y;
    else if ((x + y) % 2 == 0)
        return x + y;
    else
        return x - y;
}
int main() {
    int a = 6, b = 6, c = 3;
    printf("R1 = %d\n", combine(a, b));
    printf("R2 = %d\n", combine(a, c));
    printf("R3 = %d\n", combine(c, b));
    return 0;
}
```

- b) Suppose you are developing a personalized learning assistant for a rural school where many students cannot afford printed multiplication charts. During math class, the teacher wants a quick way to show multiplication tables for any number so students can practice together.

[Marks-7]

Now, **analyze** and **simulate** a *function* that generates and displays the multiplication table for the entered number.

Sample Input:

Enter a number: 5

Sample Output:

5 × 1 = 5
5 × 2 = 10
5 × 3 = 15
...
5 × 10 = 50

- c) Suppose you are simulating a food delivery startup's order payment system. The system must validate whether a customer's payment is acceptable. The startup only allows orders to be placed if the customer has sufficient balance in his/her wallet and the total bill amount is at least 200 Tk. If the payment is valid, deduct the bill from the customer's wallet balance.

[Marks-7]

Analyze the scenario & write the complete C program to implement this logic using a *function*.

Sample Input:

Enter wallet balance: 1500
Enter bill amount: 500

Sample Output:

Payment Successful.
Remaining Wallet Balance = 1000

Sample Input:

Enter wallet balance: 1500
Enter bill amount: 2000

Sample Output:

Insufficient Balance.
Remaining Wallet Balance = 1500

Sample Input:

Enter wallet balance: 1500
Enter bill amount: 100

Sample Output:

Minimum order amount is 200 Tk.
Remaining Wallet Balance = 1500

2025/08/28 16:27